

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	21	((recover\$3 or reset\$4 or reinitia\$8 or reviv\$3) with port\$1) and (port\$1 near4 (fail\$4 or error or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and tim\$4 and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4)) and ((resum\$4 or begin\$4) with (tim\$3 near4 expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 16:29
S2	23	(recover\$3 or reset\$4 or reinitia\$8 or reviv\$3) and (port\$1 near4 (fail\$4 or error or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4)) and ((resum\$4 or begin\$4) with ((tim\$3 or clock\$1) near4 expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 20:58
S3	2	S2 not S1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/05 17:31
S4	391	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3) with (port\$1 or ingress or egress or flow or input or receiv\$4)) and ((port\$1 or ingress or egress or flow or input or receiv\$4) near4 (fail\$4 or error or hang\$4 or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4) with ((tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 15:33
S5	219	S4 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 15:39
S6	101	S5 and ("802.3"\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 15:43

EAST Search History

S7	23	(recover\$3 or reset\$4 or reinitia\$8 or reviv\$3) and (port\$1 near4 (fail\$4 or error or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4)) and ((resum\$4 or begin\$4) with ((tim\$3 or clock\$1) near4 expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 15:44
S8	87	S6 not S7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 15:44
S9	430	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3) with (port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1)) and ((port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1) near4 (fail\$4 or error or hang\$4 or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4) with ((tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 19:18
S10	242	S9 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 19:20
S11	155	S10 not S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 19:20
S12	411	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3 or reconfigur\$5) near5 (port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1)) and ((port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1) near4 (fail\$4 or error or hang\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4) with ((tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 19:25

EAST Search History

S13	228	S12 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 19:26
S14	143	S13 not S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/06 19:26
S27	166408	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3 or repair\$5) near5 (port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:37
S28	395723	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or initia\$8 or reviv\$3 or repair\$5) near5 (port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:39
S29	622	S28 and ((port\$1 or ingress or egress or flow or input or receiv\$4 or link\$1) near4 (fail\$4 or error or hang\$4 or drop\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:43
S30	391	S29 and ("370"/\$ or "359"/\$ or "455"/\$ or "379"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:44
S31	248	S30 and ((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8) near5 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:45
S32	0	S31 and 370/457.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:45
S33	0	S29 and 370/457.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:46
S34	10	S27 and 370/457.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 21:46

EAST Search History

S40	28	S29 and 370/216-228,242-251.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:13
S41	303051	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or initia\$8 or reviv\$3 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or egress or input or receiv\$4 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:35
S42	556	S41 and ((port\$1 or ingress or egress or input or receiv\$4 or link\$1) near4 (fail\$4 or error or hang\$4 or drop\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:36
S43	562	S41 and ((port\$1 or ingress or egress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1) near4 (fail\$4 or error or hang\$4 or drop\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:39
S44	75	S42 and ((redundanc\$4 or standby or stand-by or protect\$4 or passive) near3 (port\$1 or ingress or egress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:40
S45	75	S43 and ((redundanc\$4 or standby or stand-by or protect\$4 or passive) near3 (port\$1 or ingress or egress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:41
S46	41	S45 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/07 22:41

EAST Search History

S47	303080	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or initia\$8 or reviv\$3 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or egress or input or receiv\$4 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 12:18
S48	562	S47 and ((port\$1 or ingress or egress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1) near4 (fail\$4 or error or hang\$4 or drop\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 12:18
S49	75	S48 and ((redundanc\$4 or standby or stand-by or protect\$4 or passive) near3 (port\$1 or ingress or egress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 12:18
S50	41	S49 and ("370"/\$.ccis.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 12:18
S51	34	S49 not S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 12:18
S52	62758	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or initia\$8 or reviv\$3 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or egress or input or receiv\$4 or card\$1 or linecard\$1)). bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 13:59
S53	26872	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1)). bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:00
S54	1218	S53 and ((redundanc\$4 or standby or stand-by or protect\$4 or passive) near3 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1 or device or switch\$1 or router\$1)). bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:02

EAST Search History

S55	198	S54 and ((work\$4 or active) near3 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1 or device or switch\$1 or router\$1)). bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:03
S56	198	S55 and (recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or initia\$8 or repair\$5 or reprogram\$4 or re-program\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:04
S57	148	S56 and @AD<"20040311"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:05
S58	148	S57 not S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:05
S59	0	S58 and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:07
S60	1	S58 and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:08
S61	1	S58 and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and (resum\$4 or begin\$4 or start\$4 or restart\$4) and (tim\$3 or clock\$1) and expir\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:22
S65	61597	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1 or switch\$2 or router\$1 or device\$1)). bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:26

EAST Search History

S71	391	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3) with (port\$1 or ingress or egress or flow or input or receiv\$4)) and ((port\$1 or ingress or egress or flow or input or receiv\$4) near4 (fail\$4 or error or hang\$4 or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4) with ((tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:41
S72	219	S71 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:41
S73	101	S72 and ("802.3"\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:41
S74	23	(recover\$3 or reset\$4 or reinitia\$8 or reviv\$3) and (port\$1 near4 (fail\$4 or error or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4)) and ((resum\$4 or begin\$4) with ((tim\$3 or clock\$1) near4 expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:41
S75	87	S73 not S74	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 14:41
S84	3998	((reestablish\$4 or re-establish\$4) near5 (port\$1 or ingress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:07
S85	122	S84 and ((port\$1 or ingress or input or receiv\$4 or link\$1 or card\$1 or linecard\$1) near4 (fail\$4 or error or hang\$4 or drop\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:08

EAST Search History

S87	391	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3) with (port\$1 or ingress or egress or flow or input or receiv\$4)) and ((port\$1 or ingress or egress or flow or input or receiv\$4) near4 (fail\$4 or error or hang\$4 or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4) with ((tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S88	219	S87 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S89	101	S88 and ("802.3"\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S90	23	(recover\$3 or reset\$4 or reinitia\$8 or reviv\$3) and (port\$1 near4 (fail\$4 or error or congest\$4 or bottleneck\$2 or (bottle adj neck\$2))) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4)) and ((resum\$4 or begin\$4) with ((tim\$3 or clock\$1) near4 expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S91	87	S89 not S90	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S92	60529	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1 or switch\$2 or router\$1 or device\$1)). bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S93	581	S92 and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and (resum\$4 or begin\$4 or start\$4 or restart\$4) and (tim\$3 or clock\$1) and expir\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S94	167	S93 and ("370"/\$ or "359"/\$ or "379"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09

EAST Search History

S95	132	S94 and @AD<"20040311"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S96	132	S95 not S90	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S97	129	S96 not S91	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S98	129	S97 and ((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reviv\$3 or repair\$5 or reprogram\$4 or re-program\$4) near5 (port\$1 or ingress or input or receiv\$4 or card\$1 or linecard\$1 or switch\$2 or router\$1 or device\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S99	95	S86 not S98	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/08 22:09
S10 0	3614	(reinitia\$8 or re-initia\$8 or recovery) near4 (port\$1 or card\$1 or linecard\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:03
S10 1	33859	(start\$4 or re-start\$4) with (initia\$8 or re-initia\$8 or reinitia\$8 or recovery) with (procedure or process)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:12
S10 2	810	(reinitia\$8 or re-initia\$8 or recovery) with (port\$1 or card\$1 or linecard\$1) with (procedure or process)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:12
S10 3	34521	S101 or S102	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:13
S10 4	112	S103 and ((port\$1 or card\$1 or linecard\$1) near4 (fail\$5 or error or hang\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2)) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and (resum\$4 or begin\$4 or start\$4 or restart\$4) and ((tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16

EAST Search History

S10 5	20	S103 and ((port\$1 or card\$1 or linecard\$1) near4 (fail\$5 or error or hang\$4 or congest\$4 or jam\$4 or bottleneck\$2 or (bottle adj neck\$2)) and ((pause\$1 or stop\$4) with (transmi\$6 or deliv\$6 or forward\$4 or sen\$4)) and ((resum\$4 or begin\$4 or start\$4 or restart\$4) with (tim\$3 or clock\$1) with expir\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:17
S10 6	92	S104 not S105	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:51
S12 1	8184	((reinitia\$8 or reset\$4) near4 (port\$1 or card\$1 or linecard\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:23
S12 2	3829	S121 and network\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:24
S12 3	3155	S122 and @AD<"20040311"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:24
S12 4	67	S123 and ((reinitia\$8 or reset\$4) near4 (port\$1 or card\$1 or linecard\$1)).ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:25
S12 5	30	S124 and ((reinitia\$8 or reset\$4) near4 (port\$1 or card\$1 or linecard\$1)).bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:25
S12 6	67	S124 or S125	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 16:27
S12 7	0	S126 and (called adj adapter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:31
S12 8	0	S126 and (call\$3 adj adapter\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:32
S12 9	295	S123 and ((reinitia\$8 or reset\$4) near4 (port\$1 or card\$1 or linecard\$1)).bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:50

EAST Search History

S13 0	30	S124 and S129	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/14 15:50
S13 1	12212	((recover\$3 or reset\$4 or reinitia\$8 or reboot) with (port\$1 or card\$1 or linecard\$1 or interface\$1 or board\$1)) and ((pause\$1 or stop\$4 or inhibit\$4 or prevent\$4) with (transmi\$6 or deliv\$6 or forward\$4 or send\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 17:02
S13 2	1651	S131 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 16:36
S13 3	12278	((recover\$3 or reset\$4 or reinitia\$8 or re-initia\$8 or reboot) with (port\$1 or card\$1 or linecard\$1 or interface\$1 or board\$1)) and ((pause\$1 or stop\$4 or inhibit\$4 or prevent\$4) with (transmi\$6 or deliv\$6 or forward\$4 or send\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 16:36
S13 4	1668	S133 and ("370"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 17:01
S13 5	229	S134 and (((recover\$3 or reset\$4 or reinitia\$8 or reboot) with (port\$1 or card\$1 or linecard\$1 or interface\$1 or board\$1)).bsum.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 17:02
S13 6	50	S134 and (((recover\$3 or reset\$4 or reinitia\$8 or reboot) with (port\$1 or card\$1 or linecard\$1 or interface\$1 or board\$1)).ab.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 17:02
S13 7	98	S134 and (((recover\$3 or reset\$4 or reinitia\$8 or reboot) with (port\$1 or card\$1 or linecard\$1 or interface\$1 or board\$1)) and ((pause\$1 or stop\$4 or inhibit\$4 or prevent\$4) with (transmi\$6 or deliv\$6 or forward\$4 or send\$4))).bsum.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 17:03
S13 8	123	S136 or S137	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/27 17:03

TH

EAST Search History

(Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	6	((first adj port) and (second adj port) and (network\$1 or internet or ethernet or LAN or WLAN) and (reinitia\$8 or re-initia\$8 or reset\$4 or reboot\$4 or recover\$4) and (paus\$4 or stop\$4 or preven\$4 or inhibit\$4) and transmi\$8).clm.	US-PGPUB	OR	ON	2007/10/29 01:30
L14	3	((first adj port) and (second adj port) and (network\$1 or internet or ethernet or LAN or WLAN) and (reinitia\$8 or re-initia\$8 or reset\$4 or reboot\$4 or recover\$4) and (paus\$4 or stop\$4) and transmi\$8).clm.	US-PGPUB	OR	ON	2007/10/29 01:30

TJ1